



Athletic Participation Packet

PLEASE READ ALL INSTRUCTIONS TO ENSURE ALL REQUIREMENTS ARE MET

ALL student athletes must get a new physical every 365 days on the STATE/PRSD forms. Once their physical is more than 365 days old they become INELIGIBLE for athletics. Student athletes must also maintain an academic standard established by the New Jersey State Interscholastic Athletic Association (www.njsiaa.org) If you attend an OUT-OF-DISTRICT High School bring a current report card/transcript with you to try outs and give it to the coach.

COMPLETED FORMS SHOULD BE TURNED IN TO ONE OF THE TRENTON HIGH SCHOOL NURSES (DO NOT GIVE FORMS TO YOUR COACH)

All of the Following forms MUST be turned in before Participating in a sport:

- ➤ Physical Forms (Pages 1-5) *
- ➤ COVID-19 Questionnaire (Page 6)
- ➤ Permission to Engage in Athletics (Page 7)
- ➤ Athletic Emergency Card (Page 8)
- ➤ Athletic Forms Acknowledgement Signature Page (Page 9)
- ➤ Use and Misuse of Opioid Drugs Fact Sheet Signature Page (Page 10)
- ➤ NJSIAA Steroid Testing Policy (Page 11)

Parents should keep pages 12 - 24 for informational Purposes

*The examining health care provider must complete the pre-participation physical evaluation form (pgs. 1-5) in its entirety. This includes the vision screening and the medical care provider's stamp.

All incomplete forms will be returned to the student/parent, which may prevent or delay a student's participation.

Questions or concerns can be directed to the Athletic Office 609-656-4900 xt7531/7530



Escuelas Públicas de Trenton



Paquete de participación deportiva

POR FAVOR, LEA TODAS LAS INSTRUCCIONES PARA ASEGURARSE DE QUE SE CUMPLAN TODOS LOS REQUISITOS

TODOS los atletas estudiantes deben obtener un nuevo examen físico cada 365 días en los formularios ESTADO / PRSD. Una vez que su examen físico tiene más de 365 días, se vuelven INELIGIBLES para el atletismo. Los estudiantes atletas también deben mantener un estándar académico establecido por la Asociación Atlética Interescolar del Estado de Nueva Jersey (www.njsiaa.org). Si asiste a una escuela secundaria OUT-OF-DISTRICT, traiga una boleta de calificaciones actual / transcripción con usted para probar y darla. al entrenador.

LOS FORMULARIOS COMPLETADOS DEBEN ENTREGARSE A UNO DE LOS TRENTON ENFERMERAS DE LA ESCUELA SECUNDARIA (NO DÉ FORMULARIOS A SU ENTRENADOR)

Todos los formularios siguientes DEBEN entregarse antes de participar en un deporte:

- Formularios físicos (páginas 1-5) *
- Cuestionario COVID-19 (Página 6)
- Permiso para participar en deportes (página 7)
- > Tarjeta de Emergencia Atlética (Página 8)
- Página de firmas de reconocimiento de formularios atléticos (Página 9)
- Uso y uso indebido de opioides Hoja informativa Página de firmas (Página 10)
- Política de prueba de esteroides de NJSIAA (Página 11)

Los padres deben mantener las páginas 12-24 con fines informativos

El proveedor de atención médica que realiza el examen debe completar el formulario de evaluación física previa a la participación (páginas 1 a 5) en su totalidad. Esto incluye el examen de la vista y el sello del proveedor de atención médica.

Todos los formularios incompletos serán devueltos al estudiante / padre, lo que puede prevenir o retrasar la participación del estudiante.

Las preguntas o inquietudes pueden ser dirigidas a la Oficina de Atletismo 609-656-4900 xt7531 / 7530

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

ne				Date of birth		
Age	Grade So	hool		Sport(s)		
edicines and Allergies	s: Please list all of the prescription and ove	r-the-co	unter m	edicines and supplements (herbal and nutritional) that you are currently	taking	
you have any allergies Medicines	s?	entify spe	ecific al	lergy below. □ Food □ Stinging Insects		
lain "Yes" answers bel	ow. Circle questions you don't know the a	nswers t	0.			
NERAL QUESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	ı
Has a doctor ever denied any reason?	or restricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
	g medical conditions? If so, please identify Anemia Diabetes Infections			27. Have you ever used an inhaler or taken asthma medicine? 28. Is there anyone in your family who has asthma? 20. Was your hard without as a sequencial problem. It is a sequencial problem.		F
Have you ever spent the	night in the hospital?			29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spleen, or any other organ?		
Have you ever had surge	ry?			30. Do you have groin pain or a painful bulge or hernia in the groin area?		T
ART HEALTH QUESTIONS	S ABOUT YOU	Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		
	it or nearly passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?		L
AFTER exercise?				33. Have you had a herpes or MRSA skin infection?		L
chest during exercise?	mfort, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		╄
	e or skip beats (irregular beats) during exercise?	-		35. Have you ever had a hit or blow to the head that caused confusion, prolonged headache, or memory problems?		
Has a doctor ever told yo	u that you have any heart problems? If so,			36. Do you have a history of seizure disorder?		+
check all that apply:				37. Do you have a history of setzure disorder:		+
☐ High blood pressure ☐ High cholesterol ☐ Kawasaki disease	☐ A heart murmur ☐ A heart infection Other:			38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling?		T
	d a test for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
	or feel more short of breath than expected			40. Have you ever become ill while exercising in the heat?		
during exercise?				41. Do you get frequent muscle cramps when exercising?		
Have you ever had an un	· · · · · · · · · · · · · · · · · · ·			42. Do you or someone in your family have sickle cell trait or disease?		-
during exercise?	short of breath more quickly than your friends			43. Have you had any problems with your eyes or vision?		+
ART HEALTH QUESTIONS	S ABOUT YOUR FAMILY	Yes	No	44. Have you had any eye injuries?		+
	or relative died of heart problems or had an			45. Do you wear glasses or contact lenses?		╀
	ed sudden death before age 50 (including ar accident, or sudden infant death syndrome)?			46. Do you wear protective eyewear, such as goggles or a face shield? 47. Do you worry about your weight?		
	ily have hypertrophic cardiomyopathy, Marfan nic right ventricular cardiomyopathy, long QT			48. Are you trying to or has anyone recommended that you gain or lose weight?		
syndrome, short QT synd	Irome, Brugada syndrome, or catecholaminergic			49. Are you on a special diet or do you avoid certain types of foods?		T
polymorphic ventricular t	· · · · · · · · · · · · · · · · · · ·			50. Have you ever had an eating disorder?		
implanted defibrillator?	ily have a heart problem, pacemaker, or			51. Do you have any concerns that you would like to discuss with a doctor?		
Has anyone in your famil	y had unexplained fainting, unexplained			FEMALES ONLY		
seizures, or near drownir	<u> </u>			52. Have you ever had a menstrual period?		
NE AND JOINT QUESTIO		Yes	No	53. How old were you when you had your first menstrual period?		
that caused you to miss	ury to a bone, muscle, ligament, or tendon a practice or a game?			54. How many periods have you had in the last 12 months?		
Have you ever had any b	roken or fractured bones or dislocated joints?			Explain "yes" answers here		
Have you ever had an inj injections, therapy, a bra	ury that required x-rays, MRI, CT scan, ce, a cast, or crutches?					
Have you ever had a stre				-		
instability or atlantoaxial	that you have or have you had an x-ray for neck instability? (Down syndrome or dwarfism)					
	race, orthotics, or other assistive device?					
	scle, or joint injury that bothers you?	1				
	ome painful, swollen, feel warm, or look red?	1				
	of juvenile arthritis or connective tissue disease?	, i	I	1		

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HEDSOS 9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex	am					
Name				Date of birth	າ	
	Λαο	Grade	School			
Sex	Age	Grade	501001	Sport(s)		
1. Type o	of disability				,	
2. Date o	of disability					
3. Classif	fication (if available)					
4. Cause	of disability (birth, o	disease, accident/trauma, other)				
5. List the	e sports you are inte	erested in playing				
					Yes	No
6. Do you	u regularly use a bra	ice, assistive device, or prostheti	c?			
7. Do you	u use any special bra	ace or assistive device for sports	9?			
		ressure sores, or any other skin	problems?			
		s? Do you use a hearing aid?				
	u have a visual impa					
		vices for bowel or bladder functi	ion?			
		scomfort when urinating?				
	you had autonomic o					
	-		hermia) or cold-related (hypothermia) illne	ss?		
	u have muscle spast		, madication?			
	-	ures that cannot be controlled by	y medication?			
Explain "ye	es" answers here					
Please indi	icate if you have ev	er had any of the following.				
					Yes	No
Atlantoaxia	al instability					
	uation for atlantoaxia					
	l joints (more than or	ne)				
Easy bleed						
Enlarged s	spleen					
Hepatitis						
	a or osteoporosis					
	controlling bowel					
	controlling bladder					ĺ
	or tingling in arms					
Weakness	or tingling in legs o					
Masteria	in arms or hands					
	in arms or hands in legs or feet	r feet				
Recent cha	in arms or hands in legs or feet ange in coordination	r feet				
Recent cha	in arms or hands in legs or feet ange in coordination ange in ability to wal	r feet				
Recent cha Recent cha Spina bifid	in arms or hands in legs or feet ange in coordination ange in ability to wal	r feet				
Recent cha	in arms or hands in legs or feet ange in coordination ange in ability to wal	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex aller	in arms or hands in legs or feet ange in coordination ange in ability to wal da	r feet				
Recent cha Recent cha Spina bifid Latex allen	in arms or hands in legs or feet ange in coordination ange in ability to wal da "gy as" answers here	r feet	rs to the above questions are complete	and correct.		
Recent cha Recent cha Spina bifid Latex allen	in arms or hands in legs or feet ange in coordination ange in ability to wal da "gy as" answers here	r feet	rs to the above questions are complete	and correct.		

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

Name Date of birth **PHYSICIAN REMINDERS** 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? • Do you feel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuff, or dip? • During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? Have you ever taken any supplements to help you gain or lose weight or improve your performance? • Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). **EXAMINATION** Height Weight □ Male □ Female BP Pulse Vision R 20/ L 20/ Corrected D Y \square N MEDICAL NORMAL ABNORMAL FINDINGS · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat · Pupils equal Hearing Lymph nodes Heart^a Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b . HSV, lesions suggestive of MRSA, tinea corporis Neurologic o MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop ^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. ^bConsider GU exam if in private setting. Having third party present is recommended.
^cConsider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for _ □ Not cleared □ Pending further evaluation □ For any sports □ For certain sports _ Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)__ Date of exam Address Phone _

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

Signature of physician, APN, PA

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Name	_ Sex 🗆 M 🗆 F Age Date of birth
☐ Cleared for all sports without restriction	
☐ Cleared for all sports without restriction with recommendations for further eva	aluation or treatment for
□ Not cleared	
☐ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	
EMERGENCY INFORMATION	
Allergies	
Other information	
other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
	Reviewed on
	(Data)
	Approved Not Approved
	Signature:
	participation physical evaluation. The athlete does not present apparent as outlined above. A copy of the physical exam is on record in my office
	nts. If conditions arise after the athlete has been cleared for participation
the physician may rescind the clearance until the problem is resolv (and parents/guardians).	ved and the potential consequences are completely explained to the athl
Name of physician, advanced practice pures (ADN), physician assistant (DA)) Date
	Phone
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
Date Signature	

New Jersey Department of Education Health History Update Questionnaire

Name of School:

To participate on a school-sponsored interscholastic or intramural athletic team or squad, each student whose physical examination was completed more than 90 days prior to the first day of official practice shall provide a health history update questionnaire completed and signed by the student's parent or guardian.

		_		
Student:			Age:	Grade:
Date of Last Physic	cal Examination:	Sport:		
-	-participation physical examinatio advised not to participate in a sport? in detail:		er:	
2. Sustained a cond If yes, explain i	cussion, been unconscious or lost me n detail:	emory from a blow to the	ehead? Yes 1	No
3. Broken a bone of If yes, describe	or sprained/strained/dislocated any m in detail.	nuscle or joints? Yes	No	
4. Fainted or "black If yes, was this	ked out?" Yes No during or immediately after exercise	e?		
5. Experienced che If yes, explain	est pains, shortness of breath or "raci	ing heart?" Yes No		
6. Has there been a	recent history of fatigue and unusua	al tiredness? Yes No		
7. Been hospitalize If yes, explain i	ed or had to go to the emergency room	m? Yes No		
•	hysical examination, has there been a attack or "heart trouble?" Yes N		ily or has any m	ember of the family under age
9. Started or stoppe	ed taking any over-the-counter or pre	escribed medications? Y	es No	
10. Been diagnosed	d with Coronavirus (COVID-19)? Y	Yes No		
If diagnosed v	with Coronavirus (COVID-19), was	your son/daughter sympt	tomatic? Yes	No
If diagnosed v	with Coronavirus (COVID-19), was	your son/daughter hospit	talized? Yes	No
11. Has any memb	per of the student-athlete's household	d been diagnosed with Co	oronavirus (COV)	ID-19)? Yes No
Date:	Signature of parent/guard	ian:		

NEW JERSEY STATE INTERSCHOLASTIC ATHLETIC ASSOCIATION

1161 Route 130 North, Robbinsville, NJ 08691-1104

COVID-19 Questionnaire

Name of Student:	Date:	
Parent/Guardian Cell:	Sport:	
COVID-19 Questions:	Please Ci	ircle One
Has your son/daughter been diagnosed with Coronavirus (COVID-19)?	YES	NO
• If diagnosed with Coronavirus (COVID-19), was your son/daughter symptomatic?	YES	NO
 If diagnosed with Coronavirus (COVID-19), was your son/daughter hospitalized? 	YES	NO
Has any member of the student-athlete's household been diagnosed with Coronavirus (COVID-19)?	YES	NO
Signature of Parent/Guardian:		

To participate in workouts during the summer recess period, the parent/guardian must complete this form. This form only needs to be completed one time. This is a recommended template for the COVID-19 Questionnaire. Districts can determine the best means (electronic or paper) and platform (Survey Monkey, Microsoft Teams, Google Docs etc.) to administer the questionnaire.





PERMISSION TO PARTICIPATE IN SCHOOL SPORTS

Athlete's Name ______ ID# _____

Athlete's Grade Level	Sport
I hereby consent to my child's participation in at conducted by the school authorities and to his/h schools as a representative of Trenton Athletics, not covered by my insurance and the school's at child while in practice or participating in any ga	ner participation in competitions with other. I shall assume all responsibility and expense hletic insurance for any injury received by my
Realizing that such activity involves the potential/we acknowledge that even with the best coach equipment and strict observance of rules, injuries njuries can be so severe as to result in total disatand understand this warning.	ning, use of the most advanced protective as are still a possibility. On rare occasions these
do hereby release and hold harmless the said so the administration officials, teachers, school nur- from any and all suits, damages and demands are by my child while engaged in the aforementione	se, coaches and staff, or their representatives, ising out of any injuries sustained or suffered
Parent/Guardian Signature	Date





Tornadoes

Dear Parent/Guardian,

Participation in competitive sports places the athlete in a situation in which, even when all precautions are followed, an injury is likely to occur. Trenton Athletics feels that our athletes have every right to expect that their health and safety be kept as the highest of priorities. Arrangements regarding transportation, logistics, billing procedures and appropriate contact made, before having to deal with an injury, help expedite emergency care and lessen the injured athlete's and your frustration and concern.

With this in mind, please complete the form below and return with the physical/permission forms as soon as possible.

If you ever have any questions or concerns, please do not hesitate to contact the Athletics Office at 609-656-4900 xt7531/7530.

ATHLETIC EMERGENCY CARD SPORT: Athlete's Name: _____ First MI In case of emergency, the hospital that my child should be sent to is: Family Physician Name of Hospital Contact # after 2:00PM Parent/Guardian: ______(Please Print Clearly) My signature on this form gives my consent to allow the certified athletic trainer and other health care provider(s) to provide treatment to any injury my child receives while participating in athletics for his/her school during the school year. I further consent to allow said certified athletic trainer or health care provider(s) to share appropriate information concerning my child that is relevant to his/her participation with coaches and other school personnel as deemed necessary. Signature: _____ Parent/Guardian





Athletic Forms Parent/Student Acknowledgement

My child and I acknowledge that we have read the following forms that inform us of the safety and well-being of athletes during sports.

By signing this form, I as the parent, confirm that I have read and reviewed all the documents in this packet with my child. We agree to abide by these policies as a member of a Trenton Athletics Team. We understand that non-compliance may warrant dismissal from the team at any time based on the discretion of the coach and/or administration.

- 1) NJSIAA Banned Drug Classes (page 13-14)
- 2) The Sports Related Concussion and Head Injury Fact Sheet(pgs. 15-16)
- 3) The NJSIAA Steroid Testing Policy (page 17-18)
- 4) The Sudden Cardiac Death in Young Athletes (pgs. 19-20)
- 5) Sports-Related Eye Injuries (pgs. 21-22)

Student/Athlete Signature	Print	Date
Parent/Guardian Signature	Print	Date
 Sport	Boys Girls (Circle One)	 Grade

TRENTON BOARD OF EDUCATION

"Children come first, Los niños son primero"

Dr. Frederick H. McDowell, Jr. Superintendent of Schools 609.656.5454 • 609.989.2682 fax



Sharron Grady Director of Health, PE, Athletics 609-278-7260x 7530 sdgrady@trenton.k12.nj.us



Use and Misuse of Opioid Drugs Fact Sheet Student-Athlete and Parent/Guardian Acknowledgement of Receipt

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute this *Opioid Use and Misuse Educational Fact Sheet* to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader, and for students under age 18, the parent or guardian must also sign.

This sign-off sheet is due to the appropriate school personnel as determined by your district prior to the first official practice session of the athletic season and every season you participate in as an athlete. (March 2, 2018, as determined by the New Jersey State Interscholastic Athletic Association)

Name of School: Trenton Central High School
Name of School if different than above:
Name of School District (if applicable): Trenton Public Schools
I/We acknowledge that we received and reviewed the Educational Fact Sheet on the Use and Misuse of Opioid Drugs.
Student Signature:
Parent/Guardian Signature (also needed if student is under age 18):
Date:
¹ Does not include athletic clubs or intramural events



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691 609-259-2776 609-259-3047-Fax

NJSIAA STEROID TESTING POLICY

CONSENT TO RANDOM TESTING

In Executive Order 72, issued December 20, 2005, Governor Richard Codey directed the New Jersey Department of Education to work in conjunction with the New Jersey State Interscholastic Athletic Association (NJSIAA) to develop and implement a program of random testing for steroids, of teams and individuals qualifying for championship games.

Beginning in the Fall, 2006 sports season, any student-athlete who possesses, distributes, ingests or otherwise uses any of the banned substances on the attached page, without written prescription by a fully-licensed physician, as recognized by the American Medical Association, to treat a medical condition, violates the NJSIAA's sportsmanship rule, and is subject to NJSIAA penalties, including ineligibility from competition.

Athletes may submit supplements and medications to Drug Free Sport AXIS to receive information regarding banned substances or safety issues. Athletes or parents may login to the NJSIAA account at www.dfsaxis.com using the password "njsports".

The NJSIAA will test certain randomly selected individuals and teams that qualify for a state championship tournament or state championship competition for banned substances. The results of all tests shall be considered confidential and shall only be disclosed to the student, his or her parents and his or her school. No student may participate in NJSIAA competition unless the student and the student's parent/guardian consent to random testing.

By signing below, we consent to random testing in accordance with the NJSIAA steroid testing policy. We understand that, if the student or the student's team qualifies for a state championship tournament or state championship competition, the student may be subject to testing for banned substances.

Signature of Student-Athlete	Print Student-Athlete's Name	Date
Signature of Parent/Guardian	Print Parent/Guardian's Name	Date



Keeping Student-Athletes Safe

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller.¹ It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic.²

This educational fact sheet, created by the New Jersey Department of Education as required by state law (*N.J.S.A.* 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

How Do Athletes Obtain Opioids?

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.³ It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

What Are Signs of Opioid Use?

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.³ In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening,⁴ such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.

What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, non-steroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.

According to NJSIAA Sports
Medical Advisory Committee chair,
John P. Kripsak, D.O., "Studies
indicate that about 80 percent of
heroin users started out by abusing
narcotic painkillers."






STATE OF NEW JERSEY DEPARTMENT OF HEALTH

NISIAA SPORTS MEDICAL **ADVISORY COMMITTEE**

Karan Chauhan Parsippany Hills High School, **Permanent Student Representative** New Jersey State Board of Education



Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References ¹ Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- 5 National Institute of Arthritis and Musculoskeletal and Skin Diseases
- ⁶ USA TODAY
- ⁷ American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.



Banned Substances 2022-2023

It is the student athlete's responsibility to check with the appropriate or designated athletic staff before using any substance.

The NJSIAA bans the following drug classes.

- 1. Stimulants
- 2. Anabolic agents
- 3. Alcohol and beta-blockers
- 4. Diuretics and other masking agents
- 5. Narcotics
- 6. Cannabinoids
- 7. Peptide hormones, growth factors, related substances and mimetics
- 8. Hormone and metabolic modulators
- 9. Beta-2 agonists

Note: Any substance chemically/pharmacologically related to all classes listed above and with no current approval by any governmental regulatory health authority for human therapeutic use (e.g., drugs under preclinical or clinical development or discontinued, designer drugs, substances approved only for veterinary use) is also banned. The institution and the student-athlete shall be held accountable for all drugs within the banned drug class regardless of whether they have been specifically identified. There is no complete list of banned substances.

Substances and Methods Subject to Restrictions:

- 1. Blood and gene doping.
- 2. Local anesthetics (permitted under some conditions).
- 3. Manipulation of urine samples.
- 4. Beta-2 agonists (permitted only by inhalation with prescription).
- 5. Tampering of urine samples.

NJSIAA Nutritional/Dietary Supplements:

Before consuming any nutritional/dietary supplement product, review the product and its label with your athletic department staff. Many nutritional and dietary supplements are contaminated with banned substances not listed on the label.

- 1. Nutritional/dietary supplements, including vitamins and minerals, are not well regulated and may cause a positive drug test.
- 2. Student-athletes have tested positive and lost their eligibility using nutritional/dietary supplements.
- 3. Any product containing a nutritional/dietary supplement ingredient is taken at your own risk.

Athletics department staff should provide guidance to student-athletes about supplement use, including a directive to have any product checked by qualified staff members before consumption. The NJSIAA subscribes only to Drug Free Sport AXIS for authoritative review of label ingredients in medications and nutritional/dietary supplements. Contact the Drug Free Sport AXIS at 816-474-7321 or dfsaxis.com (password: njsports).

April 1, 2022

The following are some examples of substances in each of the nine (9) banned drug classes. There is no complete list of banned substances. Do not rely on this list to rule out any labeled ingredient. Any substance that is chemically related to one of the below classes, even if it is not listed as an example, is also banned.

It is your responsibility to check with the appropriate or designated athletic staff before using any substance. Many nutritional and dietary supplements are contaminated with banned substances not listed on the label. Information about ingredients in medications and nutritional/dietary supplements can be obtained by contacting Drug Free Sport AXIS at 816-474-7321 or dfsaxis.com (password: njsports).

1. Stimulants

Amphetamine (Adderall)	Methylhexanamine (DMAA; Forthane)
Caffeine (Guarana)	Methylphenidate (Ritalin)
Cocaine	Mephedrone (bath salts)
Dimethylbutylamine (DMBA; AMP)	Modafinil
Dimethylhexylamine (DMHA; Octodrine)	Octopamine
Ephedrine	Phenethylamines (PEAs)
Heptaminol	Phentermine
Hordenine	Synephrine (bitter orange)
Methamphetamine	

Exceptions: Phenylephrine and Pseudoephedrine are not banned.

2. Anabolic Agents

2. Triadone rigents	
Androstenedione	Methasterone
Boldenone	Nandrolone
Clenbuterol	Norandrostenedione
DHCMT (Oral Turinabol)	Oxandrolone
DHEA (7-Keto)	SARMS [Ligandrol (LGD-4033); Ostarine; RAD140;
Drostanolone	S-23] Stanozolol
Epitrenbolone	Stenbolone
Etiocholanolone	Testosterone
Methandienone	Trenbolone

3. Alcohol and Beta Blockers

or incomoration between processes		
Alcohol	Pindolol	
Atenolol	Propranolol	
Metoprolol	Timolol	
Nadolol		

4. Diuretics and Masking Agents

Bumetanide	Probenecid
Chlorothiazide	Spironolactone (canrenone)
Furosemide	Triamterene
Hydrochlorothiazide	Trichlormethiazide

Exceptions: Finasteride is not banned

April 1, 2022

5. Narcotics

Buprenorphine	Morphine
Dextromoramide	Nicomorphine
Diamorphine (heroin)	Oxycodone
Fentanyl, and its derivatives	Oxymorphone
Hydrocodone	Pentazocine
Hydromorphone	Pethidine
Methadone	

6. Cannabinoids

Marijuana	Tetrahydrocannabinol (THC)
Synthetic cannabinoids (Spice; K2; JWH-018; JWH-	
073)	

7. Peptide Hormones, growth factors, related substances, and mimetics

Growth hormone (hGH)	IGF-1 (colostrum; deer antler velvet)
Human Chorionic Gonadotropin (hCG)	Ibutamoren (MK-677)
Erythropoietin (EPO)	, , ,

Exceptions: Insulin, Synthroid, and Forteo are not banned.

8. Hormone and Metabolic Modulators

or intrindict and intermodific informations		
Aromatase Inhibitors [Anastrozole (Arimidex); ATD (androstatrienedione); Formestane; Letrozole]		
Clomiphene (Clomid)		
Fulvestrant		
GW1516 (Cardarine; Endurobol)		
SERMS [Raloxifene (Evista); Tamoxifen (Nolvadex)]		

9. Beta-2 Agonists

Bambuterol	Norcoclaurine
Formoterol	Salbutamol
Higenamine	Salmeterol

April 1, 2022

Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute annually this educational fact to all student athletes and obtain a signed acknowledgement from each parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a
 concussion will be immediately removed from competition or practice. The student-athlete will not be
 allowed to return to competition or practice until he/she has written clearance from a physician trained in
 concussion treatment and has completed his/her district's graduated return-to-play protocol.

Quick Facts

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

Symptoms of Concussion (Reported by Student-Athlete)

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

What Should a Student-Athlete do if they think they have a concussion?

- **Don't hide it**. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- **Report it**. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- **Step 1**: Completion of a full day of normal cognitive activities (school day, studying for tests, watching practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms, next day advance.
- **Step 2:** Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- **Step 3:** Sport-specific exercise including skating, and/or running: no head impact activities. The objective of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- **Step 5:** Following medical clearance (consultation between school health care personnel and student-athlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- **Step 6:** Return to play involving normal exertion or game activity.

For further information on Sports-Related Concussions and other Head Injuries, please visit:

www.cdc.gov/concussion/sports/index.htmlwww.nfhs.comwww.ncaa.org/health-safetywww.bianj.orgwww.atsnj.org



1161 Route 130, P.O. Box 487, Robbinsville, NJ 08691 609-259-2776 609-259-3047-Fax

NJSIAA'S STEROID TESTING POLICY

In accordance with Executive Order 72, issued by the Governor of the State of New Jersey, Richard J. Codey, on December 20, 2005, the NJSIAA will test a random selection of student athletes, who have qualified, as individuals or as members of a team, for state championship competition.

- **1.** <u>List of banned substances:</u> A list of banned substances shall be prepared annually by the Medical Advisory Committee, and approved by the Executive Committee.
- **2.** Consent form: Before participating in interscholastic sports, the student-athlete and the student-athlete's parent or guardian shall consent, in writing, to random testing in accordance with this policy. Failure to sign the consent form renders the student-athlete ineligible.
- 3. Selection of athletes to be tested: Tested athletes will be selected randomly from all of those athletes participating in championship competition. Testing may occur at any state championship site or at the school whose athletes have qualified for championship competition
- **4.** Administration of tests: Tests shall be administered by a certified laboratory, selected by the Executive Director and approved by the Executive Committee.
- **5.** <u>Testing methodology:</u> The methodology for taking and handling samples shall be in accordance with current legal standards.
- **6.** <u>Sufficiency of results:</u> No test shall be considered a positive result unless the approved laboratory reports a positive result, and the NJSIAA's medical review officer confirms that there was no medical reason for the positive result. A "B" sample shall be available in the event of an appeal.
- 7. Appeal process: If the certified laboratory reports that a student-athlete's sample has tested positive, and the medical review officer confirms that there is no medical reason for a positive result, a penalty shall be imposed unless the student-athlete proves, by a preponderance of the evidence, that he or she bears no fault or negligence for the violation. Appeals shall be heard by a NJSIAA committee consisting of two members of the Executive Committee, the Executive Director/designee, a trainer and a physician. Appeal of a decision of the Committee shall be to the Commissioner of Education, for public school athletes, and to the superior court, for non-public athletes. Hearings shall be held in accordance with NJSIAA By-Laws, Article XIII, "Hearing Procedure."

- **8.** Penalties. Any person who tests positively in an NJSIAA administered test, or any person who refuses to provide a testing sample, or any person who reports his or her own violation, shall immediately forfeit his or her eligibility to participate in NJSIAA competition for a period of one year from the date of the test. Any such person shall also forfeit any individual honor earned while in violation. No person who tests positive, refuses to provide a test sample, or who reports his or her own violation shall resume eligibility until he or she has undergone counseling and produced a negative test result.
- **9.** <u>Confidentiality:</u> Results of all tests shall be considered confidential and shall only be disclosed to the individual, his or her parents and his or her school.
- **10.** <u>Compilation of results:</u> The Executive Committee shall annually compile and report the results of the testing program.
- **11.** <u>Yearly renewal of the steroid policy:</u> The Executive Committee shall annually determine whether this policy shall be renewed or discontinued.

June 1, 2007

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org

CARDIAC

DEATH

SUDDE

American Heart Association www.heart.org

Collaborating Agencies:

American Academy of Pediatrics New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015



American Heart Association

www.aapnj.org

I Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



New Jersey Department of Education

Frenton, NJ 08625-0500 (p) 609-292-5935 PO Box 500



New Jersey Department of Health

www.state.nj.us/education/

Frenton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837




Lead Author: American Academy of Pediatrics, **New Jersey Chapter**

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses


Revised 2014: Nancy Curry, EdM;

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Lakota Kruse, MD, MPH; Susan Martz, EdM; Christene DeWitt-Parker, MSN, CSN, RN;





American Academy of Pediatrics DEDICATED TO THE HEALTH OF ALL CHILDREN"



Learn and Live



SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

udden death in young athletes between the ages of 10 done to prevent this kind of What, if anything, can be and 19 is very rare. tragedy?

What is sudden cardiac death in the young athlete?

ultimately dies unless normal heart rhythm time) during or immediately after exercise heart function, usually (about 60% of the pumping adequately, the athlete quickly esult of an unexpected failure of proper s restored using an automated external without trauma. Since the heart stops collapses, loses consciousness, and Sudden cardiac death is the defibrillator (AED).

How common is sudden death in young athletes?

Sudden cardiac death in young athletes i The chance of sudden death occurring to any individual high school athlete is reported in the United States per year. very rare. About 100 such deaths are about one in 200,000 per year.

other sports; and in African-Americans than common: in males than in females; in football and basketball than in Sudden cardiac death is more

in other races and ethnic groups.

What are the most common causes?

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven-TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go oss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. neart to quiver instead of pumping

also called HCM. HCM is a disease of the heart, muscle, which can cause serious heart rhythm The most common cause of sudden death in problems and blockages to blood flow. This hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

The second most likely cause is congenital abnormalities of the coronary con-JEN-it-al) (i.e., present from birth)

(commonly called "coronary artery arteries. This means that these blood vessels are connected to disease," which may lead to a heart heart in an abnormal way. This differs from blockages that may the main blood vessel of the occur when people get older

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being retrieved.

SPORTS-RELATED EYE INJURIES:

AN EDUCATIONAL FACT SHEET FOR PARENTS



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

- Most Common

 Types of Eye
 Injuries

 Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
 - ◆ Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision:
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury
Occurs

Return to Play

and Sports

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

examinjum by study time

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.